


CertainTeed

# 2012 ROOFING PRODUCTS CATALOG

## Lake Central



### Avery Plant Service Area

**CertainTeed Corporation**  
Roofing Products Group  
P. O. Box 860  
Valley Forge, PA 19482

**Avery, OH Roofing Plant  
Customer Service**  
(800) 537-2974  
Fax: (800) 279-9450

**Sales Office**  
11519 US Route 250 North  
Milan, OH 44846  
(800) 432-9256  
Fax: (419) 499-4074

**Technical Services and  
Warranty Information**  
(800) 345-1145

## ROOFING SHINGLES

FIBER GLASS SHINGLES	PRODUCT DATA	COLORS	SPECIFICATIONS			
			Size	Exposure	Bundles Per Square	Shingles Per Square
<p><b>GRAND MANOR</b></p> <p><i>Starter:</i> High Performance Starter or shingle itself with 8" lower portion removed</p> <p><i>Hip and Ridge:</i> Shingle Ridge</p>	<p>Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance UL 2218 Class 2 Impact Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&amp;-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 5-layer coverage when applied 425 lb per square</p>	<p>Black Pearl Brownstone Colonial Slate Gatehouse Slate Georgian Brick Sherwood Forest Stonegate Gray Terra Cotta Tudor Brown Weathered Wood</p>	18" x 36"	8"	5	50
<p><b>CARRIAGE HOUSE</b></p> <p><i>Starter:</i> Carriage House Shingle (8" exposed portion removed)</p> <p><i>Hip and Ridge:</i> Shingle Ridge</p>	<p>Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance UL 2218 Class 1 Impact Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&amp;-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 4-layer coverage when applied 355 lb per square</p>	<p>Black Pearl Brownstone Colonial Slate Gatehouse Slate Georgian Brick Sherwood Forest Stonegate Gray Victorian Blue</p>	18" x 36"	8"	5	50
<p><b>PRESIDENTIAL TL</b> <small>S H A K E™ Triple-Layer Thickness</small></p> <p><i>Starter:</i> Presidential Starter</p> <p><i>Hip and Ridge:</i> Cedar Crest</p>	<p>Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&amp;-05) ICC-ES ESR-1389 480 lb per square</p>	<p>Aged Bark Autumn Blend Charcoal Black Chestnut Shadow Gray Spanish Tile Weathered Wood Classic Weathered Wood</p>	14 1/4" x 40"	4"	6	90
<p><b>LANDMARK TL</b> <small>Triple-Layer Thickness</small></p> <p><i>Starter:</i> SwiftStart</p> <p><i>Hip and Ridge:</i> Cedar Crest</p>	<p>Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&amp;-05) ICC-ES ESR-1389 300 lb per square</p>	<p>Max Def Burnt Sienna Max Def Cobblestone Gray Max Def Cumberland Max Def Moire Black Max Def Old Overton Max Def Resawn Shake Max Def Shenandoah Max Def Sunrise Cedar Max Def Weathered Wood Max Def Colonial Slate</p>	13 1/4" x 40"	5 5/8"	4	64

\*See warranty for specific details and limitations.

\*\*Warranty upgrade to 130 mph available

## ROOFING SHINGLES

FIBER GLASS SHINGLES	PRODUCT DATA	COLORS	SPECIFICATIONS			
			Size	Exposure	Bundles Per Square	Shingles Per Square
 <p>Starter: Presidential Starter</p> <p>Hip and Ridge: Cedar Crest</p>	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&-05) ICC-ES ESR-1389 355 lb per square	Aged Bark Autumn Blend* Chaparral Cedar Charcoal Black Chestnut Shadow Gray* Slate Gray Weathered Wood* Classic Weathered Wood	14 1/4"	4"	5	90
			x	40"		
<p><b>*IMPACT RESISTANT VERSION AVAILABLE! – SPECIAL ORDER (select colors)</b>                      Certified to meet UL 2218 Class 4!                      Starter: Presidential Starter Impact Resistant</p> <p>Hip and Ridge: Cedar Crest IR</p> <p><b>Also available in ENERGY STAR® qualified version - Presidential Solaris™:</b>                      FULL TRUCKLOADS ONLY</p>						
		Max Def Burnt Sienna Max Def Weathered Wood				
<p><b>Highland Slate™</b></p> <p>Starter: High Performance Starter or shingle itself with 8" lower portion removed</p> <p>Hip and Ridge: Cedar Crest or Shangle Ridge</p>	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 NYC-MEA-120-79-M ICC-ES ESR-1389 240 lb per square	Black Granite* Fieldstone* New England Slate* Saddle Brown Smokey Quartz Tudor Brown* Venetian Red Max Def Weathered Wood	18"	8"	3	50
			x	36"		
<p><b>*IMPACT RESISTANT VERSION AVAILABLE! – SPECIAL ORDER (select colors)</b>                      Certified to meet UL 2218 Class 4                      Starter: High Performance Starter or shingle itself with 8" lower portion removed</p> <p>Hip and Ridge: Cedar Crest IR</p>						
 <p>Starter: SwiftStart</p> <p>Hip and Ridge: Shadow Ridge</p>	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance UL 2218 Class 1 Impact Resistance ASTM D3462 CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 300 lb per square	Burnt Sienna Charcoal Black Colonial Slate Cottage Red Driftwood Georgetown Gray Heather Blend Hunter Green Weathered Wood	12"	5"	4	80
			x	36"		
<p><b>LANDMARK™ PRO</b></p> <p>Starter: SwiftStart</p> <p>Hip and Ridge: Cedar Crest or Shadow Ridge</p>	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 250 lb per square	Max Def Burnt Sienna Max Def Colonial Slate Max Def Driftwood Max Def Heather Blend Max Def Hunter Green Max Def Moire Black Max Def Weathered Wood Max Def Atlantic Blue Max Def Cobblestone Gray Max Def Pewter Max Def Georgetown Gray Max Def Resawn Shake Silver Birch - ENERGY STAR® qualified	13 1/4"	5 3/8"	3	66
			x	38 3/4"		

\*See warranty for specific details and limitations. \*\*Warranty upgrade to 130 mph available.

## ROOFING SHINGLES

FIBER GLASS SHINGLES	PRODUCT DATA	COLORS	SPECIFICATIONS			
			Size	Exposure	Bundles Per Square	Shingles Per Square
<b>LANDMARK™ PREMIUM</b>  Starter: SwiftStart  Hip and Ridge: Cedar Crest or Shadow Ridge	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F Wind Resistance ASTM D7158 Class H Wind Resistance 15-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 300 lb per square	Max Def Burnt Sienna Max Def Heather Blend x Max Def Moiré Black 38¾" Max Def Resawn Shake Max Def Weathered Wood	13¼"	5⅝"	4	66
<b>LANDMARK™ IR</b>  <b>IMPACT RESISTANT!</b> <b>- SPECIAL ORDER</b> <b>FULL TRUCKLOADS ONLY</b> Starter: SwiftStart  Hip and Ridge: XT30 Impact Resistant Shingles	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F Wind Resistance ASTM D7158 Class H Wind Resistance 10-year Algae Resistance Warranty <b>Certified to meet UL 2218 Class 4</b> UL 790 Class A Fire Resistance ASTM D3462 CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 250 lb per square	Burnt Sienna Colonial Slate Cumberland Moire Black Resawn Shake Shenandoah Weathered Wood Max Def Weathered Wood	13¼"	5⅝"	3	66
 Starter: High Performance Starter or shingle itself with 8" lower portion removed  Hip and Ridge: Cedar Crest	Lifetime Limited Transferable Warranty* 10-year SureStart Protection 15-year 110 mph high Wind Resistance Warranty** ASTM D3161 Class F 110 MPH Wind Resistance ASTM D7158 Class H Wind Resistance 10-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance ICC-ES ESR-1389 235 lb per square	Colonial Slate Cottage Red Hunter Green Moiré Black Tudor Brown Weathered Wood	18"	8"	3	50
<b>LANDMARK™</b>  Starter: SwiftStart  Hip and Ridge: Cedar Crest or Shadow Ridge	Lifetime Limited Transferable Warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** ASTM D3161 Class F Wind Resistance ASTM D7158 Class H Wind Resistance 10-year Algae Resistance Warranty UL 790 Class A Fire Resistance ASTM D3462 CSA Standard A123.5-98 (&-05) Ontario BMEC Authorization #97-10-219 ICC-ES ESR-1389 240 lb per square	Atlantic Blue Burnt Sienna Cobblestone Gray Colonial Slate Cottage Red Driftwood Georgetown Gray Heather Blend Hunter Green Moire Black Pewter Resawn Shake Silver Birch - <b>ENERGY STAR® qualified</b> Weathered Wood	13¼"	5⅝"	3	64
<b>LANDMARK™ SOLARIS</b>  Starter: SwiftStart  Hip and Ridge: Solaris Accessory  <b>*IMPACT RESISTANT VERSION AVAILABLE! - SPECIAL ORDER</b> <b>FULL TRUCKLOADS ONLY</b> Starter: SwiftStart  Hip and Ridge: Solaris Accessory IR	Lifetime limited transferable warranty* 10-year SureStart™ Protection 15-year 110 MPH Wind Resistance Warranty** 15-year Algae Resistance Warranty (15-yr. HI) ASTM D3161 Class F Wind Resistance ASTM D7158 Class H Wind Resistance UL 790 Class A Fire Resistance ASTM D3462 Miami-Dade Product Control Acceptance ICC-ES ESR-1389 250 lb per square Meets ENERGY STAR® requirements Meets California Title 24 requirements for reflectance and emittance <b>**Warranty upgrade to 130 mph available</b>	Aged Cedar Crystal Gray Dusky Clay Sunset Shake  <b>Gold Collection</b> Max Def Burnt Sienna* Max Def Heather Blend Max Def Resawn Shake* Max Def Stonegate Gray Max Def Weathered Wood* (Max Def colors provide a brighter, more vibrant, more dramatic appearance)  <b>Platinum Collection</b> Coastal Tan Sante Fe Sierra Buff	13¼"	5⅝"	3	66



\*See warranty for specific details and limitations. \*\*Warranty upgrade to 130 mph available.

## ROOFING SHINGLES

FIBER GLASS SHINGLES

PRODUCT DATA

COLORS

SPECIFICATIONS

Size Exposure Bundles Per Square Shingles Per Square



30-year Limited Transferable Warranty\*  
 5-year SureStart™ Protection  
 5-year 70 MPH Wind Resistance Warranty  
 ASTM D3161 Class F Wind Resistance  
 ASTM D7158 Class H Wind Resistance  
 Algae-Resistant  
 UL 790 Class A Fire Resistance  
 ASTM D3462  
 Miami-Dade Product Control Acceptance  
 CSA Standard A123.5-98 (&-05)  
 ICC-ES ESR-1389  
 240 lb per square

Autumn Brown  
 Black  
 Cinnamon Frost  
 Coral Frost  
 Evergreen Blend  
 Gray Frost  
 Maple Red Blend  
 Mint Frost  
 Nickel Gray  
 Oakwood  
 Pewter  
 Regal Bark  
 Sandalwood  
 Star White - ENERGY STAR® qualified  
 Timber Blend  
 Weathered Wood

12" 5" 3 80



**IMPACT RESISTANT!**  
 – SPECIAL ORDER  
 FULL TRUCKLOADS ONLY

30-year Limited Transferable Warranty\*  
 5-year SureStart™ Protection  
 5-year 70 MPH Wind Resistance Warranty  
 ASTM D3161 Class F Wind Resistance  
 ASTM D7158 Class H Wind Resistance  
 Algae-Resistant  
**Certified to meet UL 2218 Class 4**  
 UL 790 Class A Fire Resistance  
 ASTM D3462  
 Miami-Dade Product Control Acceptance  
 CSA Standard A123.5-98 (&-05)  
 ICC-ES ESR-1389  
 240 lb per square

Burnt Sienna  
 Colonial Slate  
 Cumberland  
 Moire Black  
 Resawn Shake  
 Shenandoah  
 Weathered Wood  
 Max Def Weathered Wood

12" 5" 3 80



25-year Limited Transferable Warranty\*  
 5-year SureStart™ Protection  
 5-year 60 mph Wind Resistance Warranty  
 ASTM D3161 Class F Wind Resistance  
 ASTM D7158 Class H Wind Resistance  
 Algae-Resistant  
 UL 790 Class A Fire Resistance  
 ASTM D3462  
 CSA Standard A123.5-98 (&-05)  
 Ontario BMEC Authorization #97-10-219  
 ICC-ES ESR-1389  
 220 lb per square

Autumn Brown  
 Black  
 Cinnamon Frost  
 Coral Frost  
 Evergreen Blend  
 Gray Frost  
 Maple Red Blend  
 Mint Frost  
 Moire Black  
 Nickel Gray  
 Oakwood  
 Slate Gray  
 Star White - ENERGY STAR® qualified  
 Timber Blend  
 Weathered Wood

12" 5" 3 80



25-year Limited Transferable Warranty\*  
 5-year SureStart™ Protection  
 5-year 60 mph Wind Resistance Warranty  
 ASTM D3161 Class F Wind Resistance  
 ASTM D7158 Class H Wind Resistance  
 UL 790 Class A Fire Resistance  
 ASTM D3462  
 CSA Standard A123.5-98 (&-05)  
 Ontario BMEC Authorization #97-10-219  
 ICC-ES ESR-1389  
 220 lb per square

Autumn Brown  
 Black  
 Driftwood  
 Evergreen Blend  
 Gray Frost  
 Maple Red Blend  
 Moire Black  
 Nickel Gray  
 Oakwood  
 Slate Gray  
 Timber Blend  
 Weathered Wood

13 1/4" 5 3/8" 3 65

\*See warranty for specific details and limitations.

## ROOFING ACCESSORIES

HIP & RIDGE ACCESSORY PRODUCTS	MISCELLANEOUS DATA	COLORS		SPECIFICATIONS		
				Lineal Feet Per Bundle Single Coverage	Shingles Per Bundle	
Shangle Ridge™	Hip and Ridge for Grand Manor, Carriage House and Highland Slate. Algae-Resistant. Exposure: 8"	<b>CertainTeed Shingle Colors</b> Black Granite ..... Black Granite Black Pearl ..... Black Pearl Brownstone ..... Brownstone Colonial Slate/New England Slate ..... Colonial Slate Country Slate ..... Country Slate Fieldstone/Gatehouse Slate ..... Gatehouse Slate Georgian Brick ..... Georgian Brick Plymouth Rock ..... Plymouth Rock Saddle Brown ..... Saddle Brown Sherwood Forest ..... Sherwood Forest Smokey Quartz/Stonegate Gray ..... Stonegate Gray Terra Cotta ..... Terra Cotta Tudor Brown ..... Tudor Brown Venetian Red ..... Venetian Red Victorian Blue ..... Victorian Blue Weathered Wood ..... Weathered Wood		10'	15	
Shadow Ridge™	Hip and Ridge for Presidential TL, Presidential, Independence, Landmark TL and Landmark Series. Exposure: 5" Algae-resistant.	<b>CertainTeed Shingle Colors</b> Aged Bark ..... Aged Bark/Burnt Sienna Atlantic Blue* ..... Atlantic Blue Autumn Blend ..... Autumn Blend Black Granite ..... Black Granite Burnt Sienna* ..... Burnt Sienna Chaparral Cedar ..... Chaparral Cedar Charcoal Black ..... Charcoal Black Chestnut ..... Chestnut/Resawn Shake Classic Weathered Wood ..... Classic Weathered Wood Cobblestone Gray* ..... Cobblestone Gray Colonial Slate* ..... Colonial Slate Cottage Red ..... Cottage Red Cumberland* ..... Cumberland Driftwood* ..... Driftwood Fieldstone ..... Fieldstone Georgetown Gray* ..... Georgetown Gray Heather Blend* ..... Heather Blend Hunter Green* ..... Hunter Green Moire Black* ..... Moire Black New England Slate ..... New England Slate Old Overton* ..... Old Overton Pewter* ..... Pewter Resawn Shake* ..... Resawn Shake Saddle Brown ..... Saddle Brown Silver Birch ..... Silver Birch Shadow Gray ..... Shadow Gray Shenandoah* ..... Shenandoah Slate Gray ..... Slate Gray Smokey Quartz ..... Smokey Quartz Sunrise Cedar* ..... Sunrise Cedar Tudor Brown ..... Tudor Brown Venetian Red ..... Venetian Red Weathered Wood* ..... Weathered Wood	<b>Matching Shadow Ridge Colors</b> Aged Bark/Burnt Sienna Atlantic Blue Autumn Blend Black Granite Burnt Sienna Chaparral Cedar Charcoal Black Chestnut/Resawn Shake Classic Weathered Wood Cobblestone Gray Colonial Slate Cottage Red Cumberland Driftwood Fieldstone Georgetown Gray Heather Blend Hunter Green Moire Black New England Slate Old Overton Pewter Resawn Shake Saddle Brown Silver Birch Shadow Gray Shenandoah Slate Gray Smokey Quartz Sunrise Cedar Tudor Brown Venetian Red Weathered Wood	<b>Matching Cedar Crest</b> Aged Bark/Burnt Sienna Charcoal Black/Moire Black Charcoal Black/Moire Black Charcoal Black/Moire Black Cobblestone Gray Cobblestone Gray Cobblestone Gray Colonial Slate Cumberland Driftwood Fieldstone Georgetown Gray Heather Blend Hunter Green Charcoal Black/Moire Black New England Slate Old Overton Pewter Chestnut/Resawn Shake Saddle Brown Silver Birch Shadow Gray Shenandoah Slate Gray Smokey Quartz Sunrise Cedar Tudor Brown Venetian Red Weathered Wood	30'	24 - 3 piece units (72 shingles)
Cedar Crest™	Hip and Ridge for Highland Slate, Landmark Series, Presidential TL, Presidential and Hatteras Exposure 8" Algae-resistant.	*Includes Max Def blends		20'	10 - 3 piece units (30 shingles)	
<b>IR VERSION AVAILABLE - SPECIAL ORDER</b>						
Solaris Accessory		<b>CertainTeed Shingle Colors</b> Aged Cedar Crystal Gray Dusky Clay Sunset Shake	<b>Platinum Collection</b> Coastal Tan Sante Fe Sierra Buff	33' 9"	24 - 3 piece units (72 shingles)	
<b>AVAILABLE IN IMPACT RESISTANT VERSION*</b>		<b>Gold Collection</b> Max Def Burnt Sienna* Max Def Heather Blend Max Def Resawn Shake* Max Def Stonegate Gray Max Def Weathered Wood*				

## ROOFING STARTERS

STARTER STRIP PRODUCTS	MISCELLANEOUS DATA	COLORS	SPECIFICATIONS		
			Size	Lineal Feet Per Bundle	Shingles Per Bundle
High-Performance Starter	Pre-cut starter course shingles for use with Grand Manor, Centennial Slate and Hatteras	Black	10" x 36"	102' (single coverage)	34
Presidential Starter	Pre-cut starter course for use with Presidential and Presidential TL. Two layers required.	available in entire Presidential color line	13 <sup>1</sup> / <sub>4</sub> " x 40" (required double layer)	36'8" (based on 2-layer application)	22
SwiftStart Starter	Pre-perforated starter for use with metric sized shingles	Black	15 <sup>1</sup> / <sub>4</sub> " x 38 <sup>3</sup> / <sub>4</sub> " not separated 7 <sup>5</sup> / <sub>8</sub> " x 38 <sup>3</sup> / <sub>4</sub> " separated	116' 3"	18

## LOW SLOPE/RESIDENTIAL/COMMERCIAL ROOFING

ROLLS	COLORS	SPECIFICATIONS			
		Size	Coverage Per Roll	Weight Per Roll	
Flintlastic SA PlyBase		39 <sup>3</sup> / <sub>8</sub> " x 66'6"	200 sq. ft.	88 lb	
Flintlastic SA NailBase		39 <sup>3</sup> / <sub>8</sub> " x 66'6"	200 sq. ft.	84 lb	
Flintlastic SA Mid Ply		39 <sup>3</sup> / <sub>8</sub> " x 33'11"	100 sq. ft.	68 lb	
Flintlastic SA Cap	Burnt Sienna Colonial Slate Heather Blend Moire Black	Resawn Shake Weathered Wood White	39 <sup>3</sup> / <sub>8</sub> " x 33'11"	100 sq. ft.	97 lb
Flintlastic GMS	Burnt Sienna Colonial Slate Moire Black	Resawn Shake Weathered Wood White	39 <sup>3</sup> / <sub>8</sub> " x 32'10"	100 sq. ft.	94 lb
Flintlastic GTA	Burnt Sienna Colonial Slate Moire Black	Resawn Shake Weathered Wood White	39 <sup>3</sup> / <sub>8</sub> " x 32'10"	100 sq. ft.	104 lb





## COMMERCIAL ROOFING

ROLLS	SPECIFICATIONS		
	Size	Coverage Per Roll	Weight Per Roll
Flintlastic STA	39 <sup>3</sup> / <sub>8</sub> " x 32'10"	100 sq. ft.	87 lb
Flintglas Ply Sheet 4	39 <sup>3</sup> / <sub>8</sub> " x 180'	500 sq. ft.	37 lb
Black Diamond Base	39 <sup>3</sup> / <sub>8</sub> " x 68'7"	225 sq. ft.	83 lb
Flintlastic GTA CoolStar	39 <sup>3</sup> / <sub>8</sub> " x 32'10"	100 sq. ft.	110 lb
All Weather/Empire Base Sheet	39 <sup>3</sup> / <sub>8</sub> " x 65'10"	200 sq. ft.	72 lb
Glasbase Base Sheet	39 <sup>3</sup> / <sub>8</sub> " x 98'9"	300 sq. ft.	76 lb
Flintlastic STA Plus	39 <sup>3</sup> / <sub>8</sub> " x 32'10"	100 sq. ft.	99 lb

## TRUECOMFORT BLOWN-IN FIBER GLASS SYSTEM

PRODUCT	PRODUCT DATA	SPECIFICATIONS	
		Size	Weight
Portable Blowing Machine	2-piece design for easy transport and an easy to maneuver hand truck design.  To be used with CertainTeed's TrueComfort insulation	54" high 29 <sup>1</sup> / <sub>4</sub> " width 27 <sup>1</sup> / <sub>4</sub> " length	142 lbs (machine only)
TrueComfort Fiber Glass Blowing Insulation	Noncombustible, noncorrosive, and odor free. To be used with TrueComfort blowing machine.		31 lb/bag

## SHINGLE UNDERLAYMENT

	MISCELLANEOUS DATA	SPECIFICATIONS		
		Size	Squares Per Roll	Weight Per Roll
	Fiber glass reinforced high-performance underlayment. Wrinkle resistant. Meets all performance requirements of ASTM D226 and D4869 including resistance to "liquid water transmission." Manufactured to comply with ASTM D6757. UL Classified	36" x 144'	4	44 lb
<b>DiamondDeck™</b>	Multi layer design with superior wet/dry traction and 6 months UV stability. UL Classified	48" x 250'	10	38 lb.
	Waterproofing Shingle Underlayment ASTM D1970 UL Classified	36" x 65'	195 sq. ft.	68 lb
	Short Roll Waterproofing Shingle Underlayment ASTM D1970 UL Classified	36" x 32.5'	97.5 sq. ft.	36 lb
	Waterproofing Shingle Underlayment ASTM D1970 UL Classified	36" x 65'	195 sq. ft.	68 lb
	Waterproofing Shingle Underlayment ASTM D1970 UL Classified	36" x 65'	195 sq. ft.	51 lb
<b>MetaLayment™</b>	Self-adhering design; split-release backing; resists extreme temperatures (up to 250°). ASTM D1970 UL Classified	39 3/8" x 61'	200	57 lb

## PALLET LOADING INFORMATION

PRODUCTS	SPECIFICATIONS			PRODUCTS	SPECIFICATIONS	
	Bundles Per Pallet	Approx. Wt. (lb) Per Pallet	Approx. Squares Per Pallet		Rolls Per Pallet	Approx. Wt. (lb) Per Pallet
Grand Manor	30	2,533	6.0	WinterGuard™ Sand	20	1,360
Carriage House	34	2,390	6.8	WinterGuard™ Granular	20	1,360
Presidential TL	36	2,856	6.0	WinterGuard™ HT	20	1,020
Landmark TL	36	3,033	9.0	WinterGuard™ Sand-Short Roll	30	1,065
Presidential	40	2,824	8.0	MetaLayment	20	1,140
Highland Slate	36	2,880	12.0	Roofers' Select	25	1,100
Independence	40	2,971	10.0	DiamondDeck™	25	950
Hatteras	36	2,820	12.0	Flintlastic GMS	20	1,880
Landmark Pro	40	3,333	13.33	Flintlastic GTA	20	2,080
Landmark Premium	48	3,606	12.0	Flintlastic STA	20	1,740
Landmark	48	3,801	16.0	Flintglas Ply 4	20	734
Landmark Solaris	48	3,600	12.0	Black Diamond Base	20	1,654
Landmark IR	56	3,633	14.0	Flintlastic SA PlyBase	20	1,760
CertainTeed XT 30	44	3,549	14.7	Flintlastic SA NailBase	20	1,680
XT 25 Metric	48	3,488	16.0	Flintlastic SA Mid Ply	20	1,360
CertainTeed XT 25	48	3,552	16.0	Flintlastic SA Cap	20	1,940
Shangle Ridge	60	2,149		Flintlastic GTA CoolStar	20	2,208
Shadow Ridge	52	3,380		All Weather/Empire Base Sheet	30	2,160
Solaris Accessory	48	3,840		Glasbase Base Sheet	20	1,520
Cedar Crest	28	1,475		Flintlastic STA Plus	20	1,980
High-Performance Starter	24	2,191				
Presidential Starter	28	2,185				
SwiftStart	48	2,981				
TrueComfort Insulation	15(bags)	465				
TrueComfort Blowing Machine (1 per pallet; 142 lbs. machine only)						

